


TCB-669

SINGLE NEEDLE CYLINDER ARM LOCKSTITCH SEWING MACHINE



Universal cylinder-bed machine for use in small leather goods, leather garments, upholstery, shoes, etc.

Features:

- The machine adopts the powerful and effective compound feeding system with bottom feed, needle feed and alternating feet guarantees a trouble-free and displacement-free material feed when processing most different fabric thicknesses and structures.
- Adopt horizontal large rotary hook(26mm), can save the time to changing the bobbin.
- The extremely high sewing foot lift up to 20 mm max. facilitates the feeding and removing of bulky work pieces.
- Built-in bobbin winder.
- High top feed stroke up to 9 mm allows the safe climbing over thick material plies.
- Up to 9 mm long stitches for standard seams and decorative top stitching.
- The large operation space (335 mm wide and 125 mm high)facilitates the handling of tubular work pieces.
- Excellent view on the sewing area Integrated bobbin winder with winding starting aid.
- Easily maintenance.
- Low noise level.

Applications:

Suitable for all the universal leather products, especially for tubular or pre-attached articles, such as leather wear, bags and small leather craft articles.

Technical data:

Model	TCB-669-180010
Max sewing speed	2500spm
Number of Needles	1
Needle type	134-35 #100 - #150
Thread	Needle thread: 83/3 - 15/3, Hook thread: 80/3 - 20/3
Stitches type	Lockstitch 301
Stitch length (mm)	9
Presser foot lift height(mm)	20
Max sewing thickness (mm)	10
Hook	Horizontal large hook (26mm)
Working space (mm)	335 x 125
Gross weight / Net weight (kgs)	56 / 50
Packing size (mm)	660 x 380 x 570

TOPEAGLE INTERNATIONAL LTD.

4-1201, BLOCK 1, NO. 31 ZHANGBA ER LU, HI-TECH ZONE, XI'AN, CHINA. 710065

TEL: 0086--29-68723798

Web: www.topeaglesewing.com

Email: sale@eagleco.cn



